## മൊബൈൽ വാട്ടർ അനാലിസിസ് ലബോറട്ടറി

**158 (1886)** ശ്രീ. യു. സി. രാമൻ : താഴെ കാണുന്ന ചോദ്യങ്ങൾക്ക് ജലവിഭവ വകുപ്പുമന്ത്രി സദയം മറുപടി നൽകുമോ :

(എ) കിണറുകളിലെ കുടിവെള്ളത്തിലടങ്ങിയ മാലിന്യങ്ങൾ പരിശോധിക്കുന്നതിന് കുന്ദമംഗലം സി.ഡബ്ല്യു.ആർ.ഡി.എം.-ന് നൽകുമെന്ന് പ്രഖ്യാപിച്ച മൊബൈൽ വാട്ടർ അനാലിസസ് ലബോറട്ടറി ഇതേവരെ അനുവദിച്ചില്ല എന്ന വസ്തുത ശ്രദ്ധയിൽപ്പെട്ടിട്ടുണ്ടോ ;

(ബി) എങ്കിൽ പ്രസ്തുത മൊബൈൽ ലബോറട്ടറി എന്നത്തേക്ക് അനുവദിക്കാനാണ് ഉദ്ദേശിക്കുന്നത് എന്ന് വെളിപ്പെടുത്തുമോ ?

ഉത്തരം

(എ&ബി) പദ്ധതി നിർദ്ദേശം സ്റ്റേറ്റ് ലെവൽ സ്കീം സെലക്ഷൻ കമ്മിറ്റിയുടെ (SLSC)പരിഗണനയിലാണ്.

## ഉത്തരവിന്റെ പകർപ്പ്

**159 (1887)** ശ്രീ. ബി. രാഘവൻ : താഴെ കാണുന്ന ചോദ്യത്തിന് ജലവിഭവ വകുപ്പുമന്ത്രി സദയം മറുപടി നൽകുമോ :

ജലവിഭവ വകുപ്പ് ഇറക്കിയ ജി.ഒ.(എംഎസ്.) നമ്പർ 74/96/Irrgn. തീയതി 17-10-1996 എന്ന ഉത്തരവിന്റെ പകർപ്പ് ലഭ്യമാക്കുമോ ?

ഉത്തരം

പ്രസ്തുത ഉത്തരവിന്റെ പകർപ്പ് ഇതോടൊപ്പം അനുബന്ധമായി ചേർത്തിട്ടുണ്ട്.*

## വാട്ടർ അതോറിറ്റിയിലെ നിയമനം

**160 (1888)** ശ്രീ. കെ. കെ. ഷാജു : താഴെ കാണുന്ന ചോദ്യങ്ങൾക്ക് ജലവിഭവ വകുപ്പുമന്ത്രി സദയം മറുപടി നൽകുമോ :

(എ) ഈ സർക്കാർ ഇതുവരെ വാട്ടർ അതോറിറ്റിയിൽ ഏതെല്ലാം തസ്തികകളിൽ പി.എസ്.സി. വഴി നിയമനം നടത്തിയെന്നതിന്റെ വിശദാംശം ഇനംതിരിച്ച് വ്യക്തമാക്കുമോ ;

(ബി) വാട്ടർ അതോറിറ്റിയിൽ ഒരു മാനദണ്ഡവുമില്ലാതെ താൽക്കാലികമായി കരാർ/എച്ച്.ആർ. അടിസ്ഥാനത്തിൽ വിവിധ ആഫീസുകളിൽ ജോലി ചെയ്യുന്നവരുടെ ആകെ എണ്ണം എത്രയെന്ന് വ്യക്തമാക്കുമോ ;

(സി) ഈ വിഭാഗത്തെ സ്ഥിരം ജീവനക്കാരായി മാറ്റുവാൻ ഉദ്ദേശമുണ്ടോ ;

(ഡി) ഈ താൽക്കാലിക ജീവനക്കാരെ സ്ഥിരപ്പെടുത്തുവാൻ ജല അതോറിറ്റി ജലവിഭവ വകുപ്പിന് എപ്പോഴെങ്കിലും അപേക്ഷ സമർപ്പിച്ചിട്ടുണ്ടോ ; എങ്കിൽ വിശദമാക്കുമോ ?

*ലൈബ്രറിയിൽ വച്ചിട്ടുണ്ട്.

LIBRARY ARCHIVES Kerala Legislative Assembly

| (1) | (2) | (3) | (4) |
|---|---|---|---|
| 4 | കരുവാരകുണ്ട് പഞ്ചായത്തിലെ വാർഡ് 3 മുതൽ 6 വരെ 8-13 18-നും വേണ്ടിയുള്ള കുടിവെള്ള പദ്ധതി | 35.5 ലക്ഷം | 34.94 ലക്ഷം |
| 5 | കരുവാരകുണ്ട് പഞ്ചായത്തിലെ വാർഡ് 4-13 വരെയുള്ള വേണ്ടിയുള്ള കുടിവെള്ള പദ്ധതി | 27.5 ,, | 19.72 ,, |
| 6 | കരുവാരക്കുണ്ട് പഞ്ചായത്തിലെ വാർഡ് 1,2,3 വരെയുള്ള കുടിവെള്ള പദ്ധതി | 10.00 ,, | 13.32 ,, |
| 7 | തൂവൂർ പഞ്ചായത്തിലെ അങ്ങാടിപ്പുറം, നെടുമ്പോട്ടിക്കുന്ന് കുടിവെള്ള പദ്ധതി. | 28.00 ,, | 24.32 ,, |
| മലപ്പുറം | | | |
| 1 | ഊരകം വേങ്ങര കണ്ണമംഗലം പഞ്ചായത്തുകളിലെ നിലവിലുള്ള കുടിവെള്ള പദ്ധതി പുനരുദ്ധാരണ പ്രവൃത്തി. | 30.25 ,, | 29.65 ,, |

**അനുബന്ധം IV**

[നക്ഷത്രചിഹ്നമിടാത്ത 159(1887)-ാം ചോദ്യം കാണുക]

GOVERNMENT OF KERALA

**Abstract**

IRRIGATION DEPARTMENT —Establishment— SCHEME for Compassionate EMPLOYMENT OF THE dependents of GOVERNMENT SERVANTS WHO DIE IN HARNESS — APPOINTMENT of Sri P. G. SATHYARAJ, S/o (LATE) P. N. GOPALAN, PEON, THUMPAMON IRRIGATION DIVISION, KOLLAM - in IRRIGATION DEPARTMENT as LOWER DIVISION CLERK— Sanctioned — Orders issued.

IRRIGATION (A) DEPARTMENT

G.O.(Ms) No.74/96/Irrn. Dated, Thiruvananthapuram 17th October 1996.

*Read*: 1. G.O.(P) 7/95/P&ARD dated, 30-3-1995.

2. Application dated, 10-7-1995 from Sri P. G. Sathyaraj, Mohanvilas, Ezhukone (Post) Kollam.

3. Letter No.06-6066/96 dated, 1-3-1996 from the Chief Engineer, Irrigation & Admn., Thiruvananthapuram.

LIBRARY ARCHIVES Kerala Legislative Assembly

4. Letter No.D.Dis. 21330/N6/96 dated, 2-8-1996 from the District Collector, Kollam.

ORDER

1. Shri P. N. Gopalan, Peon, Thumpamon Irrigation Division Kollam died in harness on 16-2-1970. His son Sri P. G. Sathyaraj applied for employment assistance under the compassionate Employment Scheme as perhis application read as 2nd paper above. The applicant is within the upper age limit prescribed for the post as per rules.

2. Government have examined the application in detail in consultation with the Chief Engineer, Irrigation and Administration, Thiruvananthapuram and the District Collector, Kollam and in the light of the orders issued by Government in the Government Orders read above and have found that the applicant is eligible for appointment in Government service under the Compassionate Employment Scheme.

3. Shri P. G. Sathyaraj, is aged 31 years as his late of birth being 31-5-1965. He has passed B.Sc. degree Examination and according to his educational qualification he is eligible for appointment as Lower Division Clerk under Government service as preferred by him.

4. In the circumstances, Government are pleased to accord sanction for the appointment of Shri P. G. Sathyaraj, (S/o late P. N. Gopalan, Peon), Mohan Vilas, Ezhukone, Kollam as L.D.Clerk in the Irrigation Department as per the privisions contained in the G.O. read as first paper above under the scheme for compassionate Employment of the dependents of Government servants who die in harness.

5. The Chief Engineer, Irrigation and Administration, Thiruvananthapuram will issue formal appointment orders to Shri P. G. Sathyaraj in an existing vacancy or in an arising vacancy immediately, after verification of his age, educational qualifications and other necessary testimonials and also observing other formalities. His character and antecedents may also be got verified as per rules. His District of choice is Kollam. In case the applicant cannot be appointed in the District of choice he will be appointed in another District where vacancy exists and will be retransferred to the District of choice at the earliest opportunity without loss of seniority. Five years rules prescribed for inter district transfer of district -wise recruits will be made available to person appointed under the scheme only after he is posted to the district of his choice. Shri P. G. Sathyaraj will report for duty before the Chief Engineer, Irrigation and Administration, Thiruvananthapuram. He will be admitted to duty only on production of the original documents to prove his date of birth, qualifications, a certificate of fitness from a Medical Officer not below the rank of Civil Surgeon and a passport size recent photograph duly attested by a Gazetted Officer of the State Government Service.



LIBRARY ARCHIVES Kerala Legislative Assembly

The Chief Engineer, Irrigation and Administration will forward a copy of the formal appointmenmt order to Government also as and when issued.

6. If the post of U.D. Clerk is not available and the application is qualified for appointment as L.D.Typist, he will be appointed as Typist-Clerk against an existing vacancy of L.D.Typist and given category change as L.D.Clerk at the earliest opportunity without loss of seniority. If a cavancy of Peon is notavailable in the Department to accommod to a dependent, and if there are vacancies and the applicant is willing, he will be appointed in part time contingent post. Such persons will be allowed category change as Peon at the earliest opportunity. If none of the above alternatives is possible, such cases will be referred to Government.

7. The Chief Engineer, Irrigation and Administration, Thiruvananthapuram will make necessary entries in the Service Book of tje deceased employee and also in the Establishment Register of the office in which the deceased employees last worked as stipulated in G.O.(P)7/95/ P&ARD dated, 30-3-1995.

8. The employment assistance ordered under the scheme will be cancelled if and when Government find that there was any supression of misrepresentation of material facts on the part of the applicant at the time of forwarding the application or during the course of enquiry conducted by the department as per rules.

9. Government will also have the right to cancel this order sanctioning the appointment of Shri P. G. Sathyaraj under the Compassionate Employment Scheme, if after the issue of this order, it is seen on examination that it is erroneously issued.

(By Order Of The Governor)

C. ANURUDHAN,
*Additional Secretary In Charge*
*Of Secretary (IRRIGATION).*

To

Shri P. G. Sathyaraj, Mohanvilas, Ezhukone (P.O.),
Kollam.(By Regd.
The Chief Engineer, Irrigation and Administration,
Thiruvananthapuram.
The District Collector, Kollam.
The Director of Public Relations.
The General Administration (CE Cell) Department.
S.F./O.C.

Forwarded/By Order,

Sd.
Section Officer.

LIBRARY ARCHIVES Kerala Legislative Assembly